

Timers / **Hard Wired Timers**

Timer 7 Day Electronic Immersion



Technical Specification

Product Code	T106A
Feature 1	Allows control of hot water
Feature 2	Timer ON status indicator
Feature 3	Manual override facility
Feature 4	1 Year Guarantee
Ambient Temperature	20
Barcode	5012739638749
Battery Back Up	Y
Boost	N
CE	Y
Class Type	II
Colour	White
Company DUNS Number	216156018

Connections	Wired
Cord Anchorage	Y
Country of Origin	China
Current (I)	R=16 L=2
Display	Digital
Finish body	Mat
Fixings supplied with product	N
Frequency (Hz) max	50
Frequency (Hz) min	50
Greenbrook Guarantee (Years)	1
HS Code	9107000090
Ingress Protection (IP)	IP20
Installation method	Surface mount
Manual Override	Y
Materials Main Body	Polycarbonate
Maximum Load	16A for Immersion Heaters upto 3.5 kW
Min Order Qty	1
No of Channels	1
Operating Temperature Range max C	55
Operating Temperature Range min C	-10
Package Product Weight gross (g)	232
Pollution Degree	Normal
Product (only) Max. Depth (mm)	47.85
Product (only) Max. Height (mm)	126
Product (only) Max. Width (mm)	73
Product Weight net (g)	188
Sales Pack Qty	1
Settings	24 On / Off, Summer Time Setting Option
Shortest Switching Time	1 min
StatusCode	Active

Tel No: 01279 772 772

Email: sales@greenbrook.co.ukWebsite: www.greenbrook.co.uk

Timer Switch Type	MICRO- DISCONNECTION LIVE POLE ONLY
UKCA	Y
Voltage (VAC) MAX (V)	240
Voltage (VAC) Min (V)	220
Voltage (VAC) Rated (V)	230